



P2000L

Smart POS Terminal



Features

- High performance, 64-bit processor
- Multi-connectivity: 4G/ 3G/ 2G/ WIFI/ BT
- Complete payment support: MSR/ IC/ CTLS

- Operating system: Android 5.1
- Memory: RAM 1 GB, Flash 8 GB; Support micro SD cards up to 32 GB
- Keypad: 1 physical power key, 1 physical functional key, 3 virtual keys on screen (Menu, Back, Home)




















www.tactilion.com

P2000L

Smart POS Terminal

Specification (Default)



	Processor, Model	Qualcomm 8916 quad-core 1.2GHz
	Touchscreen	5.5 inches
	Magnetic card reader	3 tracks, bi-directional swiping, supports ISO 7811/7812
	IC Card reader	Supports: 1,8/3/5 V, ISO 7816, PBOC & EMV
	Contactless reader	Supports: NFC 13.56MHz, ISO14443, Type A/B
	SAM module	1 or 2 slots according to ISO7816 SIM slots 1 or 2 slots
	Audio	Built-in speaker
	Connection	WiFi 802.11 b/g/n, Bluetooth 4.0; EDR
	USB	MicroUSB 2.0, supports OTG
	Security	PCI 4.0
	Charge jack	DC jack, 5B, 2A
	Dimensions, (LxWxH), mm	200 mm x 80 mm x 56 mm
	Weight, g	470 (including battery)
	Operating temperature, °C	-10° to 50° C
	Storage temperature, °C	-20° to 60° C
	Relative humidity	10% to 90%, (no condensation)

Tactilion LLP








Address: Office 4.01, Fetter Lane, London EC4A 18R, United Kingdom
info@tactilion.com / www.tactilion.com

P2000L

Smart POS Terminal



Specification (Default)

	Battery	7.4 V, 2000 mAh
	Power	Input: 100~240V, 0.3 A, 50/60 Hz Output: 5V, 2A
	Camera	5 MP, built-in flash
	Printer	Paper width: 58 mm Printing width: 48 mm Paper role diameter: up to 40 mm Paper role core diameter: 8-13 mm
	GPS	Yes
	Light indicators	Set of light indicators
	Communication	LTE: Bands 1/2/3/5/7/8/12/17/38/40/41 GSM: Bands 850/900/1800/1900 WCDMA: Bands 1/2/5/8 CDMA 2000: Band 5

Tactilion LLP

Address: Office 4.01, Fetter Lane, London EC4A 18R, United Kingdom

info@tactilion.com / www.tactilion.com